

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	key and substitution and Iabel and value and substitution and Iabel and associated and value and entry and field and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 10:35
L2	0	key and substitution and Iabel and value and substitution and Iabel and entry and field and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 10:35
L3	0	key and value and substitution and Iabel and entry and field and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 10:36
L4	0	key and value and substitution and Iabel and entry and field and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 10:52
L5	0	key and substitution and Iabel and entry and field and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 10:53
L6	0	key and Iabel and entry and field and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 10:53
L7	0	key and Iabel and field and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 10:53
L8	5	key and Iabel and field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 11:03

L9	0	key and substitution and label and value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 11:12
L10	0	assigning and label and variable and name and inbound and document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 11:14
L11	0	assign\$4 and label and variable and name and inbound and document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 11:14
L12	1082	assign\$4 and variable and name and inbound and document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 11:14
L13	89	assign\$4 with variable and name and inbound and document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 11:15
S1	485	determining and profile and trading and partner and stored and profile and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 13:50
S2	402	determining and profile and trading and partner and stored with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 13:50
S3	37	determining and profile and trading and partner with stored with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:01

S4	1	auto-creation with flag with pre-set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 14:08
S5	1	auto-creation with flag and pre-set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 14:08
S6	1	auto-creation near5 flag and pre-set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 14:08
S7	1	auto-creation and flag and pre-set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 14:08
S8	2852	flag and pre-set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 14:09
S9	196	flag with pre-set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 14:09
S10	331	flag and stored and exception and dataset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:02
S11	54	flag with stored and exception and dataset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:03

S12	1	flag with stored with exception and dataset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:03
S13	1	flag with stored and exception with dataset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:03
S14	54	flag with stored and exception and dataset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:10
S15	3	flag with stored with dataset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:12
S16	3	flag with (stored or store) with dataset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:12
S17	5	flag with (stored or store or storing) with dataset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:12